Wood Science and Technology

Journal for Wood and Pulp
of the International Academy of Wood Science (IAWS)

Editor: F. F. P. Kollmann, München

Editorial Board:

F. E. Dickinson, Richmond
K. Kratzl, Wien
W. Liese, Hamburg
V. Nečesaný, Bratislava
H. Schulz, München
T. E. Timell, Syracuse

Volume 8
1974

Springer-Verlag New York · Heidelberg · Berlin

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, is transferred to the publisher.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer-Verlag New York · Heidelberg · Berlin — Mercedes-Druck, Berlin

Printed in Germany — Copyright © by Springer-Verlag Berlin Heidelberg 1974

Contents

Originals

ARCHER, R. R., and BYRNES, F. E.: On the Distribution of Tree Growth Stresses—Part I: An Isotropic Plain Strain Theory. 184

BECKER, G.: Aspects, Results and Trends in Wood Preservation, an Interdisciplinary Science. 163

BORGIN, K., and CORBETT, K.: The Hydrophobic and Water-Repellent Properties to Wattle Bark Extractives. 138

BOYD, J. D., and FOSTER, R. C.: Tracheid Anatomy Changes as Responses to Changing Structural Requirements of the Tree. 91

COCKRELL, R. A.: A Comparison of Latewood Pits, Fibril Orientation and Shrinkage of Normal and Compression Wood of Giant Sequoia. 197

COUSINS, W. J.: Effects of Strain-Rate on the Transverse Strength of Pinus Radiata Wood. 307

DINWOODIE, J. M.: Failure in Timber—Part II: The Angle of Shear through the Cell Wall during Longitudinal Compression Stressing. 56

EMERY, J. A., and SCHROEDER, H. A.: Iron-Catalyzed Oxidation of Wood Carbohydrates. 123

ERICKSON, H. D., and HARRISON, A. Th.: Douglas-Fir Wood Quality Studies—Part I: Effects of Age and Stimulated Growth on Wood Density and Anatomy. 207

ERICKSON, H. D., and ARIMA, T.: Douglas-Fir Wood Quality Studies—Part II: Effects of Age and Stimulated Growth on Fibril Angle and Chemical Constituents. 255

HALLIGAN, A. F., and SCHNIEWIND, A. P.: Prediction of Particleboard Mechanical Properties at Various Moisture Contents. 68

HIGGINS, H. G., and WATSON, A. J.: Translucent Wood. 227

IMAMURA, Y., HARADA, H., and SAIKI, H.: Embedding Substances of Pit Membranes in Softwood Tracheids and their Degradation by Enzymes. 243

KIBBLEWHITE, R. P.: Technique for Examining the Internal Ultrastructure of Pulp Fibres. 33

KRATZL, K., CLAUS, P., LONSKY, W., and GRATZL, J. S.: Model Studies on Reactions Occurring in Oxidations of Lignin with Molecular Oxygen in Alkaline Media. 35

LARSON, PH. R., and ISEBRANDS, J. G.: Anatomy of the Primary-Secondary Transition Zone in Stems of Populus Deltoides. 11

PARAMESWARAN, N., and LIESE, W.: Variation of Cell Length in Bark and Wood of Tropical Trees. 81

PARHAM, R. A., and BAIRD, W. M.: Warts in the Evolution of Angiosperm Wood. 1

PARKER, M. L., BARTON, G. M., and JOZSA, L. A.: Detection of Lignans in Western Hemlock by Radiography. 229

PASZNER, L.: Limitations to Tensile Strength Improvements on Thin Wood-Sections by Radiation Grafting. 106

PETTY, J. A.: Laminar Flow of Fluids through Short Capillaries in Conifer Wood. 275

ROSEN, H. N.: Distribution of Water in Hardwoods: A Mathematical Model. 283

RYBARCZYK, W., and GANOWICZ, R.: A Theoretical Description of the Swelling Pressure of Wood. 233

SASTRY, C. B. R., and WELLWOOD, R. W.: Individual Tracheid Weight—Length Relationships in Coniferous Woods. 266

STAMM, A. J.: Dimensional Stabilization of Wood with Water-Soluble Fire Retardant Bulking Chemicals Compared with Polyethylene Glycol-1000. 300

SZYMANI, R., and MOTE, JR., C. D.: A Review of Residual Stresses and Tensioning in Circular Saws. 148

ÜNLIGIL, H. H., and CHAFE, S. C.: Perforation Hyphae of Soft Rot Fungi in the Wood of White Spruce [*Picea glauca* (Moench.) Voss.]. 27

VENKATESWARAN, A.: A Note on the Relationship between Electrical Properties and Thermal Conductivity of Woods. 50

Letters to the Editor

IAWS Bulletin Board. I, II

Book Reviews

GREGUSS, P.: Xylotomy of the Living Conifers. 79

JANE, F. W.: The Structure of Wood. 322

KOEHLER, J. K.: Advanced Techniques in Biological Electron Microscopy. 242

KOZLOWSKY, T. T.: Growth and Development of Trees. 162

MATHUR, B. L.: Teak Bibliography. 79

MEYLAN, B. A., and BUTTERFIELD, B. G.: Three-Dimensional Structure of Wood. A Scanning Electron Microscope Study. 162

MOREY, PH. R.: How Trees Grow. 79

NICHOLAS, E. D.: Wood Deterioration and its Prevention by Preservative Treatments. 322

Author Index

ARCHER, R. R. 184
ARIMA, T. 255
BAIRD, W. M. 1
BARTON, G. M. 229
BECKER, G. 163
BORGIN, K. 138
BOYD, J. D. 91
BYRNES, F. E. 184
CHAFE, S. C. 27
CLAUS, P. 35
COCKRELL, R. A. 197
CORBETT, K. 138
COUSINS, W. J. 307
DINWOODIE, J. M. 56
EMERY, J. A. 123
ERICKSON, H. D. 207, 255
FOSTER, R. C. 91
GANOWICZ, R. 233
GRATZL, J. S. 35
HALLIGAN, A. F. 68
HARADA, H. 243
HARRISON, A. TH. 207
HIGGINS, H. G. 227
IMAMURA, Y. 243
ISEBRANDS, J. G. 11
JOZSA, L. A. 229
KIBBLEWHITE, R. P. 33
KRATZL, K. 35
LARSON, PH. R. 11
LIESE, W. 81
LONSKY, W. 35
MOTE, C. D. JR. 148
PARAMESWARAN, N. 81
PARHAM, R. A. 1
PARKER, M. L. 229
PASZNER, L. 106
PETTY, J. A. 275
ROSEN, H. N. 283
RYBARCZYK, W. 233
SAIKI, H. 243
SASTRY, C. B. 266
SCHNIEWIND, A. P. 68
SCHROEDER, H. A. 123
STAMM, A. J. 300
SZYMANI, R. 148
ÜNLIGIL, H. H. 27
VENKATESWARAN, A. 50
WATSON, A. J. 227
WELLWOOD 266

Indexed in Current Contents

Information for Authors

Original papers describing research in the fields of wood science and technology, including pulping processes and pulp properties, will be considered for publication. Review papers in these areas will also be accepted. Articles must be written in English with consistent use of either American or British spelling. They must represent an original contribution and may not, after acceptance, be submitted for publication elsewhere.

Manuscripts: Manuscripts should be typed with double space and a wide margin. Major and minor headings should be centered on the page and have initial capitals where proper. The title heading should be followed by the author's name and professional affiliation. The complete address of each author is given at the end of the paper. The abstract should present the highlights of the paper in a concise form, suitable for direct use in the abstract literature. Acknowledgements should be made in a footnote to the title heading. Latin names to be printed in italic type should be underlined with a sinuous line.

A total of 20 typewritten pages, including references, tables, captions, appendices or other supplements, should not be exceeded. Longer manuscripts must be rejected.

Literature references: Either one of two reference systems can be used. In the first, each citation is complete, and the reference is by author and year of publication. References are listed alphabetically at the end of the paper according to the first author. Volume number of journals is printed in boldface. Names of journals should be abbreviated according to Chemical Abstracts, Biological Abstracts, or Forestry Abstracts, with preference in this order.

Journal Articles:
Liese, W., Bauch, J. 1967. On the closure of bordered pits in conifers. Wood Sci. Technol. 1: 1—13.

Books:
Wardrop, A. B. 1964. Structure and formation of the cell wall in xylem. In: Zimmermann, M. H. (Ed.): The formation of wood in forest trees. New York: Academic Press, 87-134.

According to the second system references are also introduced by author and year, but the alphabetical reference list may be abbreviated as follows.

Journal Articles:
Liese, W., Bauch, J. 1967. Wood Sci. Technol. 1: 1.

Books:
Wardrop, A. B. 1964. In: Zimmermann, M. H. (Ed.): The formation of wood in forest trees. New York: Academic Press, 87.

Figures: Illustrations are to be restricted to absolutely necessary clarifications of the text. The same information must not be presented in both a table and a figure. Figures are numbered with arabic numerals. Line drawings should, if at all possible, conform to the style of the journal and be done in India ink. Original drawings or photographic copies on glossy paper should be submitted with the manuscript. Letters and numbers must be sufficiently large to be readily legible after reduction to printed size. Photographs and photomicrographs must be printed on high-gloss paper and be rich in contrast. Lettering and other markings can be made by the author, provided they conform to the style of the journal; otherwise this will be done by the editorial office. In the latter case they should be submitted on a cover sheet. The orientation of the illustrations should be indicated. Photomicrographs should have a mark indicating magnification, preferably in micrometer. Only one set of original illustrations has to be submitted. Figure legends should be complete and readily understandable without reference to the text and be typed on a separate page in consecutive order. After publication, original illustrations will be returned to the author.

Proofs and reprints: Galley proofs are sent to the author in duplicates. One copy should be carefully corrected, using internationally accepted symbols. Authors will receive 50 reprints free of charge. Additional reprints will be supplied at cost and should be ordered on the form supplied for this purpose with the galley proofs.

The editorial office requests observance of these guidelines. This facilitates cooperation between authors and editors and helps shorten the period of publication.

Springer-Verlag New York · Heidelberg · Berlin — Mercedes-Druck, Berlin
Printed in Germany — Copyright © by Springer-Verlag, Berlin · Heidelberg 1974

STAMM, A. J.: Dimensional Stabilization of Wood with Water-Soluble Fire Retardant Bulking Chemicals Compared with Polyethylene Glycol-1000. 300

SZYMANI, R., and MOTE, JR., C. D.: A Review of Residual Stresses and Tensioning in Circular Saws. 148

ÜNLIGIL, H. H., and CHAFE, S. C.: Perforation Hyphae of Soft Rot Fungi in the Wood of White Spruce [*Picea glauca* (Moench.) Voss.]. 27

VENKATESWARAN, A.: A Note on the Relationship between Electrical Properties and Thermal Conductivity of Woods. 50

Letters to the Editor

IAWS Bulletin Board. I, II

Book Reviews

GREGUSS, P.: Xylotomy of the Living Conifers. 79

JANE, F. W.: The Structure of Wood. 322

KOEHLER, J. K.: Advanced Techniques in Biological Electron Microscopy. 242

KOZLOWSKY, T. T.: Growth and Development of Trees. 162

MATHUR, B. L.: Teak Bibliography. 79

MEYLAN, B. A., and BUTTERFIELD, B. G.: Three-Dimensional Structure of Wood. A Scanning Electron Microscope Study. 162

MOREY, PH. R.: How Trees Grow. 79

NICHOLAS, E. D.: Wood Deterioration and its Prevention by Preservative Treatments. 322

Author Index

ARCHER, R. R. 184
ARIMA, T. 255
BAIRD, W. M. 1
BARTON, G. M. 229
BECKER, G. 163
BORGIN, K. 138
BOYD, J. D. 91
BYRNES, F. E. 184
CHAFE, S. C. 27
CLAUS, P. 35
COCKRELL, R. A. 197
CORBETT, K. 138
COUSINS, W. J. 307
DINWOODIE, J. M. 56
EMERY, J. A. 123
ERICKSON, H. D. 207, 255
FOSTER, R. C. 91
GANOWICZ, R. 233
GRATZL, J. S. 35
HALLIGAN, A. F. 68
HARADA, H. 243
HARRISON, A. TH. 207
HIGGINS, H. G. 227
IMAMURA, Y. 243
ISEBRANDS, J. G. 11
JOZSA, L. A. 229
KIBBLEWHITE, R. P. 33
KRATZL, K. 35
LARSON, PH. R. 11
LIESE, W. 81
LONSKY, W. 35
MOTE, C. D. JR. 148
PARAMESWARAN, N. 81
PARHAM, R. A. 1
PARKER, M. L. 229
PASZNER, L. 106
PETTY, J. A. 275
ROSEN, H. N. 283
RYBARCZYK, W. 233
SAIKI, H. 243
SASTRY, C. B. 266
SCHNIEWIND, A. P. 68
SCHROEDER, H. A. 123
STAMM, A. J. 300
SZYMANI, R. 148
ÜNLIGIL, H. H. 27
VENKATESWARAN, A. 50
WATSON, A. J. 227
WELLWOOD 266

Indexed in Current Contents

Information for Authors

Original papers describing research in the fields of wood science and technology, including pulping processes and pulp properties, will be considered for publication. Review papers in these areas will also be accepted. Articles must be written in English with consistent use of either American or British spelling. They must represent an original contribution and may not, after acceptance, be submitted for publication elsewhere.

Manuscripts: Manuscripts should be typed with double space and a wide margin. Major and minor headings should be centered on the page and have initial capitals where proper. The title heading should be followed by the author's name and professional affiliation. The complete address of each author is given at the end of the paper. The abstract should present the highlights of the paper in a concise form, suitable for direct use in the abstract literature. Acknowledgements should be made in a footnote to the title heading. Latin names to be printed in italic type should be underlined with a sinuous line.

A total of 20 typewritten pages, including references, tables, captions, appendices or other supplements, should not be exceeded. Longer manuscripts must be rejected.

Literature references: Either one of two reference systems can be used. In the first, each citation is complete, and the reference is by author and year of publication. References are listed alphabetically at the end of the paper according to the first author. Volume number of journals is printed in boldface. Names of journals should be abbreviated according to Chemical Abstracts, Biological Abstracts, or Forestry Abstracts, with preference in this order.

Journal Articles:
Liese, W., Bauch, J. 1967. On the closure of bordered pits in conifers. Wood Sci. Technol. 1: 1—13.

Books:
Wardrop, A. B. 1964. Structure and formation of the cell wall in xylem. In: Zimmermann, M. H. (Ed.): The formation of wood in forest trees. New York: Academic Press, 87-134.

According to the second system references are also introduced by author and year, but the alphabetical reference list may be abbreviated as follows.

Journal Articles:
Liese, W., Bauch, J. 1967. Wood Sci. Technol. 1: 1.

Books:
Wardrop, A. B. 1964. In: Zimmermann, M. H. (Ed.): The formation of wood in forest trees. New York: Academic Press, 87.

Figures: Illustrations are to be restricted to absolutely necessary clarifications of the text. The same information must not be presented in both a table and a figure. Figures are numbered with arabic numerals. Line drawings should, if at all possible, conform to the style of the journal and be done in India ink. Original drawings or photographic copies on glossy paper should be submitted with the manuscript. Letters and numbers must be sufficiently large to be readily legible after reduction to printed size. Photographs and photomicrographs must be printed on high-gloss paper and be rich in contrast. Lettering and other markings can be made by the author, provided they conform to the style of the journal; otherwise this will be done by the editorial office. In the latter case they should be submitted on a cover sheet. The orientation of the illustrations should be indicated. Photomicrographs should have a mark indicating magnification, preferably in micrometer. Only one set of original illustrations has to be submitted. Figure legends should be complete and readily understandable without reference to the text and be typed on a separate page in consecutive order. After publication, original illustrations will be returned to the author.

Proofs and reprints: Galley proofs are sent to the author in duplicates. One copy should be carefully corrected, using internationally accepted symbols. Authors will receive 50 reprints free of charge. Additional reprints will be supplied at cost and should be ordered on the form supplied for this purpose with the galley proofs.

The editorial office requests observance of these guidelines. This facilitates cooperation between authors and editors and helps shorten the period of publication.

Springer-Verlag New York · Heidelberg · Berlin — Mercedes-Druck, Berlin
Printed in Germany — Copyright © by Springer-Verlag Berlin · Heidelberg 1974

Wood Science and Technology

Contents — Vol. 8 (1974) No. 4

Imamura, Y., H. Harada, and H. Saiki	Embedding Substances of Pit Membranes in Softwood Tracheids and their Degradation by Enzymes	243
Erickson, H. D., and T. Arima	Douglas-Fir Wood Quality Studies – Part II: Effects of Age and Stimulated Growth on Fibril Angle and Chemical Constituents	255
Sastry, C. B. R., and R. W. Wellwood	Individual Tracheid Weight – Length Relationships in Coniferous Woods	266
Petty, J. A.	Laminar Flow of Fluids through Short Capillaries in Conifer Wood	275
Rosen, H. N.	Distribution of Water in Hardwoods: A Mathematical Model	283
Stamm, A. J.	Dimensional Stabilization of Wood with Water-Soluble Fire Retardent Bulking Chemicals Compared with Polyethylene Glycol – 1000	300
Cousins, W. J.	Effects of Strain-Rate on the Transverse Strength of Pinus Radiata Wood	307
Book Review		322

Indexed in Current Contents

Preview of Vol. 9 (1975) No. 1

McKenzie, W. M., and H. Karpovich	Wear and Blunting of the Tool Corner in Cutting a Wood-Based Material
Kirk, T. K., H.-M. Chang, and L. F. Lorenz	Topochemistry of the Fungal Degradation of Lingnin in Birch Wood as Related to the Distribution of Guaiacyl and Syringyl Lignins
Kübler, H., and T.-H. Chen	Prevention of Crosscut and Heating Heart Checks in Log Ends
Maloney, T. M.	Composition Board Industry under Rapid Development despite Material Shortages (Eighth Particleboard Symposium, Washington State University)
Murmanis, L.	Formation of Tyloses in Felled *Quercus rubra* L.

Springer-Verlag New York Inc., 175 Fifth Avenue, New York, N. Y. 10010
Telephone 673-2660